

:: FERTILIZER SPREADERS

Gardening



High performance for professionals

P | Pendulum spreader

Working width from 6 to 24 m



www.agrex.com



Pendulum spreader suitable for employment in row- space cultivations, like vineyards and orchards

Models	Capacity (l)	Maximum load (kg)	Weight (kg)	Length (cm)	Width (cm)	Height (cm)
P 406	380	1100	153	180	142	88
P 706	680	1100	164	180	144	118
P 906	850	1100	168	180	144	130

All models are equipped with: Plastic hopper and stainless steel bottom – Standard filtering grid – PTO shaft

OPTIONALS: Hopper tarpaulin cover – Long finger agitator – Spreading spout for rows – Double acting hydraulic drive

OPTIONALS



Hopper tarpaulin cover



Long finger agitator



Spreading spout



Double acting hydraulic drive



Trade fairs and events

We take part in numerous trade fairs and events throughout the world. Also on these occasions we are delighted to furnish you with thorough and tailored advice and information about our entire machinery range. We are proud to be found in specialist magazines of the sector. Have a look at our schedule on our website www.agrex.com and come and visit us.

It will be a pleasure to meet you in the very near future!



Quick and safe dispatches

All our machines are designed to be easily transported by TIR trucks and containers. Our packaging has been studied to guarantee that the components reach their destination intact, even when they have to be transferred from one means of transport to another or are subject to lengthy layovers. Our AGREX logistics department is at your complete disposal for guaranteed fast and safe worldwide transport.

Area agent:

AGREX S.p.A.

Via Balla, 55-57
35010 – Villafranca Padovana (PD) – ITALY
Tel.: +39 049 50 00 000
Fax: +39 049 90 75 524
email: info@agrex.com



www.agrex.com