

:: FERTILIZER SPREADERS

Gardening



High performance for professionals

SP

Pull type fertilizer spreader

Working width from 2 to 6 m



www.agrex.com



Ideal for the seeding and fertilizing of gardens, sports ground and small green space

Models	Capacity (l)	Maximum load (kg)	Weight (kg)	Length (cm)	Width (cm)	Height (cm)
SP 50	40	180	35,5	141	90	86
SP 100	100	180	39	147	90	103
SP 150	150	180	41	152	90	111

All models are equipped with: Wheels 15×6,00 - 6

OPTIONALS: Deflector for salt/sand – Manual pulling bar – Mechanical remote control (length = 2,5 m) – Trailer hitch coupling – Agitator

OPTIONALS



Deflector for salt/sand



Mechanical remote control



Trailer hitch coupling



Agitator



Trade fairs and events

We take part in numerous trade fairs and events throughout the world. Also on these occasions we are delighted to furnish you with thorough and tailored advice and information about our entire machinery range. We are proud to be found in specialist magazines of the sector. Have a look at our schedule on our website www.agrex.com and come and visit us.

It will be a pleasure to meet you in the very near future!



Quick and safe dispatches

All our machines are designed to be easily transported by TIR trucks and containers. Our packaging has been studied to guarantee that the components reach their destination intact, even when they have to be transferred from one means of transport to another or are subject to lengthy layovers. Our AGREX logistics department is at your complete disposal for guaranteed fast and safe worldwide transport.

Area agent:

AGREX S.p.A.

Via Balla, 55-57
35010 – Villafranca Padovana (PD) – ITALY
Tel.: +39 049 50 00 000
Fax: +39 049 90 75 524
email: info@agrex.com



www.agrex.com